alba.premium 1226

Model Code F5668

date of issue 15-03-23 revision 00

revision of 16-06-23 (the present replaces any previous versions)

Designer: centro studi interno

Structure: pinewood, masonite, multilayer, and plywood covered with ecological polyurethane foam covered with 100% polyester layer. Backrests rest on a metal mechanism*.

Spring system: elastic webbing

Seat Padding: seat cushions in ecological polyurethane foam covered with 100% polyester layer.

Back Padding: back cushions in ecological polyurethane foam covered with 100% polyester layer.

Arm Interior: in ecological polyurethane foam covered with 100% polyester layer.

Removability: not available, loose seat cushions.

Sewing: leather covers feasible with contrast stitching in the colors available; cuts and sewing vary on microfibre (or fabric) covers.

Mechanisms: * the model is equipped with manually liftable armrests and manually adjustable backrests so, that the seat depth can be increased by 42 cm. "Comfort" versions are equipped with an additional mechanism inside the backrests that allows the headrest area to be tilted forward. The total depth of the model with backrests positioned outward is 148 cm (168 cm on versions AU6/AU7 - DD9/DE0 - AU8/AU9 - DE3/DE4, 125 cm on version BS3/DE9, 132 cm on version QB1/DE7, 151 cm on versions BY7/BY8 - DF1/DF2).

Standard feet: in black PVC, h. 4 cm





Density of seat and back kg/cbm (±5%) (1)

Markets	Seat	Back	
Ι	35 Medium	27	
D - NL - CH	35 sostenuto hard	28 hard	
USA - California	35 soft	27 soft	
GB	37 fire retardant	31 fire retardant	
Others			

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings			
	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split	✓		
DeLuxe*			~
multi colour**	✓		
multi-category**	✓		
multi covering**	~		

* Deluxe, Fabrics and microfibers are not available for the U.K. - USA/CA - IE market.



Feet



PVC H4




Ottoman

We reserve the right to amend materials, covers and product dimensions shown on the data sheet, for production purposes and without prior notice. The line drawings, graphic information, dimensions, and volume provided are approximate and may vary due to the tolerances allowed in the production process with a view to improvements. The following maximum load values are recommended under normal use: armchairs max. 120 kg, 2-seater sofas max. 200 kg (2x100 kg), 3-seater sofas max. 240 kg (3x80 kg). Exceeding the recommended load may cause a structural failure of the sofa/armchair or its components.

alba. premium 1226

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).




➡ fold following the dotted line ➡

CALIA

ITALIA

alba. premium 1226

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).




fold following the dotted line

alba.premium 1226

Model Code F5668

date of issue 15-03-23 revision 00 of 16-06-23 (the present replaces any previous versions)



Available in multi-covering: 1st cov. (fabric or microfiber): frame, cushions and armrests; 2nd cov. (fabric or microfiber): backrests. Also available in multicolor: 1st col. (fabric or microfiber): frame, cushions and armrests; 2nd col. backrests.

